


눈으로 보이는 깨끗함, 심플한 디자인, 간편한 사용성, 합리적인 가격의 공기청정기

# clair

## 사용설명서



MODEL		clair-BF2025		
정격전압	Input	AC 100~240V / 50/60Hz		
	Output	DC 12V / 1.0A		
제품성능 및 소비전력	단계	1단	2단	3단
	소비전력	1.2W	1.8W	2.4W
권장사용장소		개인생활 및 사무공간		
크기		254mm x 150mm x 255mm		
무게		1.6kg		

### (주)에이티앤에스그룹

clair는 (주)에이티앤에스 그룹이 제작,  
판매하는 공기청정기의 대표 브랜드입니다.

## 제품 특징점

clair

소비자를 생각하는 마음, 비교해 볼수록 알 수 있습니다.

**발상의 전환이 만든 혁신적 기술, e2f 필터**

불편함으로만 느껴지던 정전기, 발상의 전환으로 혁신적인 필터로 재 탄생 되었습니다. 기존의 필터 및 인간의 호흡기나 폐로도 걸러낼 수 없는 초 미세먼지까지도 손쉽게 포집이 가능한 **clair**의 **e2f** 필터를 만나보세요.

**알레르기 및 새집증후군 유발 물질 제거**

**clair**는 일산화탄소(CO), 배기가스(NOx, SOx), 포름알데히드 및 톨루엔(VOCs) 등 유해 물질을 포집하기 때문에 특히 호흡기 질환자, 아토피 환자, 임산부 및 영유아가 있는 가정에서 사용하면 좋습니다.

**2차 유해물질 없는 안전한 공기청정기**

전기집진 방식 혹은 방향제 혼용 방식의 공기청정기는 사용 중 오존, 카본 등 2차 유해물질이 발생하여 두통, 메스꺼움, 졸음, 천식, 아토피 질환 등의 원인이 될 수 있습니다.

**clair** 공기청정기는 오존, 카본 등 2차 유해물질이 발생하지 않는 안전한 공기청정기입니다.

**세균 및 박테리아 제거**

각종 바이러스, 곰팡이, 진균, 박테리아 등을 제거하여 쾌적한 실내환경을 유지하며, 가벼운 생활 냄새를 감소 시킵니다.

**경제적인 유지비**

하루 종일 사용해도 월 전기요금 100원으로 전기 효율이 좋아 실내활동 및 외출 시 항상 사용할 수 있으며, 각 방마다 하나씩 각자 사용해도 전기요금 부담이 없습니다. 또한, 주기적으로 직접 청소하여 1년 이상 오래 사용할 수 있는 필터 방식으로 필터 관리 및 교체 비용을 줄였습니다.

**간편한 사용방법**

버튼 하나로 동작하는 간편한 실행방법과 사용자가 직접 필터 분리, 교체, 청소가 가능한 구조로 제작되어 사용자의 편의를 더했습니다.

**매력적인 디자인**


심플하면서 고급스러운 **clair**의 디자인은 침실 및 거실에도 잘 어울리며, 가정뿐만 아니라 각종 사무공간 및 개인 공간에서 사용하기 좋습니다.

**Made in Korea**


전 모델 국내생산으로 소비자의 신뢰에 보답합니다. 또한, 국가에서 운영하는 중소기업 공동 A/S센터를 통한 A/S서비스가 가능합니다.

## 제품 구성 및 명칭


## 제품 구성




## 각 부의 명칭



## 설치 방법



1. 설치 전 제품의 상태를 확인합니다.



2. 본체 옆면에 DC어댑터를 연결하고, 플러그를 콘센트에 꽂습니다.



3. 전원 버튼을 눌러 제품을 작동시킵니다.



4. 제품 후면 커버는 흡입구이므로, 이물질로 막히지 않도록 주의하여 사용합니다.

**※주의!**  
반드시 DC어댑터를 제품에 먼저 조립 후 콘센트에 연결합니다.

## 작동 방법 및 동작


작동 모드	작동 방법	작동 내용	버튼 표시
1단	전원 버튼 1회 클릭	저속모드 작동	
2단	전원 버튼 2회 클릭	일반모드 작동	
3단	전원 버튼 3회 클릭	고속모드 작동	
OFF	전원 버튼 4회 클릭	OFF	
LED OFF	작동모드 관계없이 전원 버튼 2초 이상 클릭	LED OFF	

## 권장 설치 장소


침실




거실



유아방




서재




주방



원룸



사무실




병실



## 유지 보수 및 관리

## 필터 청소



1. 본체 전원을 끄고 콘센트에서 플러그를 뽑습니다.



2. 바닥에 부드러운 천을 깔고 제품의 뒷면이 보이도록 눕힙니다.



3. 제품 손잡이를 잡고 제품의 후면 커버를 분리합니다.



4. 진공청소기를 이용하여 e2f 필터 상단에 쌓인 먼지를 제거합니다.

## ※주의!

청소 및 필터 관리는 전원을 끈 뒤, 전원 플러그를 뽑고 팬이 멈추면 시작합니다.

작동 중 필터 교체 시도를 할 경우, 감전이나 사고의 위험이 있습니다.

## 필터 교체



1. 바닥에 부드러운 천을 깔고 제품의 뒷면이 보이도록 눕힙니다.



2. 제품 손잡이를 잡고 제품의 후면 커버를 분리합니다.



3. 필터의 양쪽 손잡이를 잡고서 본체와 e2f 필터를 분리합니다.

4. 사용하지 않은 깨끗한 필터로 교체하여 넣습니다.

## 유지 및 관리 시 주의사항




필터 수명은 최대 12개월이며 설치 장소 및 환경조건에 따라 다를 수 있습니다.



필터 청소 시 물청소는 권장하지 않습니다. 필터의 기능저하로 정화능력이 떨어질 수 있습니다.



젖은 손으로 전원 플러그를 만지지 마십시오. 감전 및 사고의 위험이 있습니다.



전원플러그 부분을 잡아당겨 분리하지 마십시오. 전선이 손상되거나 상해를 입을 수 있습니다.



제품 본체 및 필터 청소 시 물이나 세제를 사용하지 마십시오. 제품 표면의 얼룩 및 갈라짐 등이 생길 수 있습니다.



제품에 어떠한 물건도 얹지 마십시오. 흡입 및 배출구를 막아 고장 및 정화능력 저하의 원인이 됩니다.



어린이가 제품에 올라가거나 배출구 등에 손가락, 이물질 등을 넣지 않도록 주의 하십시오. 상해를 입을 수 있습니다.



제품 내부에 물이 들어가지 않도록 주의 하십시오. 화재 및 감전의 원인이 됩니다.

## 안전을 위한 주의사항

### 전원 관련 주의사항

- 전원의 선을 임의로 변경하거나 연장하지 마십시오.
  - 전원 플러그를 무리하게 구부리거나 잡아당겨 손상시키지 마십시오.
  - 전원 플러그를 뽑아서 제품을 끄지 마십시오.
  - 손상된 전원 코드나 플러그, 험거운 콘센트는 사용하지 마십시오.
  - 멀티 콘센트 사용 시 여러 기기를 동시에 사용하지 마십시오.
  - 전원 플러그를 열기구 가까이에서 사용하지 마십시오.
  - 정품 어댑터(DC 12V/1.0A 정격)만 사용하십시오.
  - 청소 시 콘센트에서 전원 플러그를 반드시 뽑으십시오.
  - 젖은 손으로 전원플러그를 만지지 마십시오.
  - 제품을 사용하지 않을 경우에는 플러그를 뽑으십시오.
  - 유아가 접근해 만지거나 조작하지 않도록 주의하십시오.
- ※ 전원 관련 주의사항을 지키지 않을 경우 감전이나 화재로 부상 및 제품 손상이 발생할 수 있습니다.

### 동작 관련 주의사항

- 전원 플러그가 흔들리지 않도록 플러그를 완전히 꽂은 상태로 사용하십시오.
  - 공기 흡입구와 배출구를 기타의 이물질로 막지 마십시오.
  - 스토브와 같은 뜨거운 물체 주변이나 화재 위험이 있는 곳에서는 사용하지 마십시오.
  - 제품을 넘어서 사용하거나 제품의 상단에는 어떠한 물건도 얹지 마십시오.
  - 본체와 필터를 분리하여 사용하지 마십시오.
  - 제품 겉표면 청소시에는 세제를 사용하지 마십시오.
- ※ 동작 관련 주의사항을 지키지 않을 경우 화재, 오작동, 제품 손상, 정화능력 저하가 발생할 수 있습니다.

### 설치 관련 주의사항

- 가스가 누출될 수 있는 곳에는 제품을 설치하지 마십시오.
  - 산업용 기름, 연기 또는 금속성 먼지가 많은 곳에 제품을 설치하지 마십시오.
  - 직사광선이나 열기구, 특히 물기를 피해 제품을 설치하십시오.
  - 경사가 있거나 울퉁불퉁한 바닥에 제품을 설치하지 마십시오.
  - 주변과의 간격이 20cm이상 되도록 설치 하십시오.
  - 제품의 공기 흡입구 또는 배출구 쪽에 장애물이 없는지 확인 하십시오.
  - 제품의 후면 커버만 잡고서 운반하지 마십시오.
- ※ 설치 관련 주의사항을 지키지 않을 경우 청정능력 저하나 이상소음을 비롯한 제품의 고장이 발생할 수 있으며, 감전이나 화재의 위험을 초래할 수 있습니다.

### 필터 관련 주의사항

- 사용중인 필터에 코를 대고 냄새를 맡거나 만지는 등의 직접적인 피부접촉을 삼가하십시오.
  - 오염된 필터는 후면 커버를 열고서, 진공 청소기로 먼지를 흡입 제거 하십시오.
  - 물 세척 시 필터기능의 저하가 우려됨으로 권장하지 않습니다.
  - 필터의 기능적 특성상 장기간 기기를 작동하지 않을 경우에도 오염원이 포집될 수 있습니다. 비닐 커버를 이용해 밀봉하여 보관하십시오.
- ※ 필터 관련 주의사항을 지키지 않을 경우 건강상의 문제가 발생하거나 e2f 필터의 기능적 저하로 제품 성능이 떨어질 수 있습니다.

## 제품 보증서

(주)에이티앤에스그룹은 소비자 피해 보상 규정에 따라 다음과 같이 제품의 보증을 실시합니다.

- \* **clair** 제품의 품질 보증 기간은 구매일로부터 1년으로 규정되어 있습니다.
- \* 보상 여부 및 접수내역 통보는 신청일로부터 7일 이내,  
피해 보상 및 수리는 신청일로부터 14일 이내에 해결해 드립니다. (휴일 및 국공휴일 제외)
- \* 다음과 같은 경우는 보증 기간이라도 유상 수리의 대상이 됩니다.
  - 순정 부품 미사용으로 인한 고장 발생 시
  - 사용자의 부주의, 임의로 수리 및 개조에 의한 고장 발생 시
  - 사용설명서 상의 명시된 사항에 대한 불이행으로 인한 고장 발생 시
- \* 보증기간 경과 후에는 유상 수리가 가능합니다.
- \* 수리 신청 시 보증서를 제시해 주십시오.

## 고객 서비스 센터 080-581-2917

**clair**의 고객 서비스는 국가에서 운영하는  
중소기업 공동 A/S센터에서 직접 관리하고 있습니다.

고객 기재사항	
성 명	
주 소	
전화번호	
휴대폰번호	
E-mail	
제품명	<b>clair</b> 공기청정기
모델명	<b>clair</b> -BF2025
Serial No.	
구 입 일 자	년        월        일
보 증 기 간	제품 구입일로부터 1년
제 조 년 월	별도표기
제 조 사	(주)에이티앤에스그룹
홈 페이지	<a href="http://www.cleanair-clair.com">www.cleanair-clair.com</a>

※ 이 보증서는 재발행 되지 않으므로 작성하여 사용설명서와 함께 잘 보관 하십시오.

## Features of product

clair

See how much **clair** cares for its customers!**Innovative technology through a paradigm shift – the e2f filter**

Nuisance static electricity is born again as an innovative filter resulting in a paradigm shift. The **clair e2f** filter can collect ultrafine particles that escape existing filters and enter our lungs. Now try the **e2f** filter!

**Removal of allergens and other substances that cause sick house syndrome**

**clair** removes harmful materials such as CO, exhaust gases (NOx, SOx), formaldehyde and toluene (VOCs), so it is great for use at home with respiratory patients, atopic patients, pregnant women and infants.

**Safely purified air with no hazardous secondary substances**

Air purifiers based on electric collectors or aromatic mixing generate hazardous secondary substances, such as ozone and carbon, which cause headaches, dizziness, drowsiness, asthma and atopy. The **clair** air purifier is free of hazardous secondary substances.

**Viruses and bacteria removal**

It maintains a pleasant indoor environment by removing viruses, mold, fungi and bacteria.

**Low maintenance costs**

Because the cost for continuous use is only about ₩100 a month, it has negligible impact on the electricity bill. The **e2f** filter can be used for over a year, which makes maintenance easier and reduces filter costs.

**Convenience**

It is designed for convenient, one button operation, and the filter can be separated, replaced and cleaned by users themselves.


**Attractive design**

A simple and premium design coordinates with bedrooms and living rooms. It can be used in individual spaces and office environments.


**Made in Korea**

All models are made in Korea to ensure customer reliability. A/S (after service) is available through the join medium and small enterprise AS centers operated by the government.

Product components



• Main body



• e2f filter




• DC adapter




• User Manual


Names of each part



Installation method




1. Check condition of product before installation.



2. Connect DC adapter to the side of the main body and then plug into a power outlet.



3. Press the power button to operate the product.



4. Be careful not to block the back cover with foreign objects as not to prevent air intake.

**※Caution!**  
Plug the DC adapter in the main body before connecting to a power outlet.

Operation method and motion

Operation mode	Operation method	Operation details	Button indicator
level 1	Press the power button once	Low speed mode	
level 2	Press the power button twice	Normal speed mode	
level 3	Press the power button 3 times	High speed mode	
OFF	Press the power button 4 times	OFF	
LED OFF	Press the power button for longer than 2 seconds regardless of mode	LED OFF	

Recommended  
installation place

한국어


English

中國語


Bedroom




Living room




Children's room




Study room




Kitchen



Studio room



Office




Hospital room



## Maintenance

### How to clean the filter



1. Turn the power off and unplug from power outlet.



2. Lay the product down with back cover facing upwards.



3. Hold the handle and disassemble the back cover.



4. Remove dust at the top of the **e2f** filter using a vacuum cleaner.

#### ※ Caution!

Make sure to start cleaning and filter management after turning off power, unplugging from power outlet and making sure that the fan has stopped. There is danger for electric shock or other accidents if filter is changed during operation.

### How to change the filter



1. Lay the product down with back cover facing upwards.



2. Hold the handle and disassemble the back cover.



3. Hold the handles on both side of the **e2f** filter and disassemble the **e2f** filter from main body.  
4. Change to a clean unused filter.

### Caution for maintenance




Filters last for a maximum of 12 months which is subject to change depending on installation place and environmental conditions.



Cleaning the filters with water is not recommended. It may decrease purification ability due to reduced filter function.




Do not touch power cord with wet hands, for danger of electric shock or other accidents.



Do not pull on the cable of the power plug. It may cause damage to the cable or injury.



Do not use water or detergent when cleaning the body or filter. It may cause stains or cracks on the surface.



Do not place any objects on the product. It may block the inlet or outlet causing malfunction or reduced ability of purification.



Keep children from climbing on and putting fingers or other foreign matter in the outlet, as this could cause injury.



Be careful that water is not allowed the inside product. It may cause a fire or electric shock.

## Caution for safety

### Caution for power

- Do not change or extend cable.
- Do not bend power plug or pull as it may cause damage.
- Do not pull power plug cable.
- Do not use damaged power cords, plugs or loosened outlets.
- Do not use multiple devices simultaneously on a single power strip.
- Do not use power plug near a heater.
- Use rated adapter (DC 12V/1.0A rating).
- Pull out power plug from outlet in the event of cleaning.
- Do not touch power plug with wet hands
- Pull plug out when product is not in use.
- Be careful as not to let an infant access or operate the product.

※ Failure to follow these instructions could lead to damage or injury by electric shock or fire.

### Caution for operation

- Use the product when plug is fully fixed so that power plug does not shake.
- Do not block air inlet and outlet with other foreign matter.
- Do not use it near hot object like a stove or fire risky places.
- Do not use the product on its side or back and do not put any object on the top.
- Do not use when body and filter are separated
- Do not use detergent to clean the surface of the product.

※ Failure to follow these instructions could lead to fire, malfunction, damage to product or reduced purification ability.

### Caution for use and placement

- Do not use the product in a place where gas may be leaked.
- Do not use the product in a place with industrial oil smoke or metallic dust.
- Do not use under direct sunlight near heaters or in humid conditions.
- Do not place on a slope or uneven surface.
- Install at least 20cm away from surrounding objects.
- Check if there are any obstacles blocking air inlet or outlet part.
- Do not move the product by holding the back cover only.

※ Failure to follow these instructions could lead to reduced purification ability, abnormal noise or malfunction. And it may cause damage or injury by electric shock or fire.

### Caution for filter

- Avoid making direct contact with filters in use such as smelling or touching.
- For polluted filters, open back cover and remove dust only using a vacuum cleaner.
- Cleaning with water is not recommended as it may cause filter function decrease.
- If the product is not used for long durations of time, pollutants may be collected in the filter. Seal the filter using a plastic cover and store it.

※ Failure to follow these instructions could lead to health problems or functional reduction of **e2f** filter.

※ For repair and/or replacement, contact the purchase store or medium and small enterprise joint service center.

※ A/S and replacement inquiry: 080-581-2917  
(See Warranty Certificate page)

## Warranty Certificate

ATNS Group implements the warranty of the product as below according to the consumer indemnification regulation.

- \* The warranty period of **clair** product is 1 year from the purchase date.
- \* The compensation and reception notice shall be made within 7 days from application date, and repair and compensation shall be made within 14 days from the application date. (excluding holiday and national holidays)
- \* The below shall be subject to paid repair.
  - In case of failure by using non-authentic components
  - In case of failure by negligence of user or by arbitrary repair and modification
  - In case of failure by non-implementation of matters defined in the user manual
- \* Paid repair is available after the warranty period.
- \* Provide warranty certificate in the event of repair application.

## Customer service center 080-581-2917

**clair** customer service is directly managed by medium and small enterprise joint A/S center run by the state.

Customer information	
Name	
Address	
Tel.	
Mobile.	
E-mail	
Product name	<b>clair</b> Air Purifier
Model name	<b>clair</b> -BF2025
Date of purchase	year            months            date
Warranty period	1 year from purchase date
Manufacturing date	Indicated separately
Manufacturer	ATNS Group
Homepage	<a href="http://www.cleanair-clair.com">www.cleanair-clair.com</a>

※ Please safely store this certificate with your user manual as it cannot be re-issued.

## 产品特性

clair

通过比较，您可以体会到clair为消费者着想的心意！



## 想法的转换造就创新技术，e2f过滤器

一直以来感到不适的静电，想法的转换造就了创新的过滤器。以往的过滤器、人的呼吸道或肺也无法过滤的超微尘现在也可以被clair e2f过滤器轻易捕集到，试用一下吧。



## 去除过敏源、房屋综合征源

clair可以有效捕集一氧化碳(CO)、废气(NOx、SOx)、甲醛、甲苯等有害物质，适合呼吸道疾病患者、特应性患者、孕产妇、以及婴幼儿等人群的家庭使用。



## 不产生二次有害物质的安全的空气净化器

使用电机集尘方式或混用芳香剂方式的空气净化器，会产生臭氧、碳等二次有害物质，这些有害物质会引发头痛、恶心、发困、哮喘、特应性疾病等。

clair空气净化器是不会产生臭氧、碳等二次有害物质的安全的空气净化器。



## 去除细菌及病毒

去除各种病毒、霉菌、真菌、细菌等，维持舒适的室内环境，减少各种生活中的气味。



## 经济划算的维护费

使用一整天，每月的电费才1块钱。因此不仅在室内，在外出时，机器也可以开启，即使每个房间使用一台，也没有电费负担。而且，您可以自行清洗过滤器、过滤器可使用一年以上，节省了过滤器的维护及更换费用。



## 使用方便

仅用一个按键操作，使用非常方便。而且结构也很简单，用户可以轻易拆分、更换、清洗过滤器。



## 集聚魅力的设计

clair简单又高雅的设计，不仅适合在卧室、客厅使用，也适合在各种办公空间、个人空间使用。




## 韩国产


所有型号都是在韩国本土生产的，因此可以带给顾客信赖。而且，您可以享受国家经营的中小企业共同售后客户服务中心提供的售后服务。

## 产品构成及名称


## 产品构成




## 各部分名称



## 设置方法



1. 设置前确认产品的状态。



2. 连接主机后面的DC适配器，把插头插进插座。



3. 按下电源按钮，启动产品。



4. 产品后面盖子是空气吸入口，使用时注意不要被异物堵塞

※注意！  
请务必先将DC适配器装配到产品上后再连接到插座上。

## 启动方法及运作


运行模式	运行方法	运行内容	按钮标示
第1阶段	按1次电源按钮	低速模式运行	
第2阶段	按2次电源按钮	普通模式运行	
第3阶段	按3次电源按钮	高速模式运行	
關閉	按4次电源按钮	關閉產品	
關閉LED燈	与运行模式无关按下电源按钮保持2秒以上	關閉LED燈	

## 建议设置场所


寢室




客室




婴儿房




书房




厨房



单间



办公室




病房



## 维修养护及管理


### 清洁过滤器



1. 关掉主机电源，并从插座上拔下插头。



2. 在地上铺一块柔软的布，将产品放在布上，使其背面朝上。



3. 抓住产品上的把手，取下产品的后盖。



4. 利用真空吸尘器，清除堆积在e2f过滤器上端的灰尘。

※注意！  
要在关掉电源，然后拔出电源插头且风扇停止后再开始进行清洁及过滤器管理。

若在运行中替换过滤器，会存在发生触电或事故的危險。

### 替换过滤器



1. 在地上铺一块柔软的布，将产品放在布上，使其背面朝上。



2. 抓住产品上的把手，取下产品的后盖。



3. 抓住过滤器两侧的把手，从主机上取下e2f过滤器。

4. 替换成未使用过的干净的过滤器后放入。

### 维护及管理时的注意事项




过滤器寿命最大为12个月，且根据设置场所及环境条件会有所不同。



清洁过滤器时，建议不要用水清洗。因过滤器的功能降低，可能导致净化能力降低。




切勿用湿手触摸电源插头。会存在发生触电或事故的危險。



切勿抓住电源插头部位将其分离。电线会受到损坏或有可能造成人身伤害。



清洁产品主机及过滤器时，请勿使用水或洗涤剂。产品表面可能产生斑点及裂痕。



请勿将任何物件放到产品上。会引发堵塞吸入及排出口的故障及导致净化能力降低。



请注意不要让孩子攀爬到产品上或将手指、异物等放入排出口。有可能造成人身伤害。



请注意不要让水进入产品内部。有可能引发火灾或触电。

## 安全注意事项

### 电源相关注意事项

- 请勿任意变更或延长电源线。
- 请勿过度弯曲或拉扯电源插头，使其发生破损。
- 请勿在拔出电源插头后再关闭产品。
- 请勿使用破损的电源线或电源插头、松弛的插座。
- 使用多功能插座时，请勿同时使用多种电器。
- 请勿在电热器附近使用电源插头。
- 请使用正品适配器(DC 12V/1.0A 额定值)。
- 进行清洁时，请务必从插座上拔出电源插头。
- 请勿用湿手触摸电源插头。
- 不使用产品时，请拔出插头。
- 请注意不要让幼儿接近触摸或操作。

※ 不遵守电源相关注意事项时，  
可能引发因触电或火灾导致的人身伤害及产品破损。

### 运作相关注意事项

- 请尽量不要让电源插头晃动，在插头完全插合的状态下使用。
- 请不要用其他异物阻塞空气吸入口和排出口。
- 请勿在火炉之类的热的物体周边或存在火灾危险的地方使用。
- 请勿将产品横置使用，且请勿在产品的上端上放置任何物件。
- 请勿将主机和过滤器分离使用。
- 清洁产品表面时，请勿使用洗涤剂。

※ 不遵守运作相关注意事项时  
可能会导致火灾、误运行、产品破损、净化能力下降。

### 设置相关注意事项

- 请勿在会有煤气泄漏的地方设置产品。
- 请勿在产业用油烟或金属性灰尘很多的地方设置产品。
- 设置产品时请避开直射光线或电热器，特别是水气。
- 请勿将产品设置在倾斜或凹凸不平的地面上。
- 设置时请尽量让产品与周边保持20cm以上的间隔。
- 请确认产品的空气吸入口及排出口方向有无障碍物。
- 请勿只抓着产品后面的盖子进行搬运。

※ 不遵守设置相关注意事项时  
可能会发生清洁能力下降或发出异常声音等产品故障，并有可能导致触电或火灾危险。

### 过滤器相关注意事项

- 请注意让鼻子接触使用中的过滤器嗅气味或抚摸等直接的皮肤接触。
- 对于被污染的过滤器，请打开后面盖子，然后用真空吸尘器吸入清除灰尘。
- 建议不要用水洗涤，因可能会导致过滤器功能下降。
- 在过滤器的功能特性方面，即使长时间不启动机器，也有可能受到污染源的污染。请用乙烯塑料罩密封保管。

※ 不遵守过滤器相关注意事项时  
可能会引发健康方面的问题或有可能因e2f的功能降低导致产品性能下降。

※ 有关修理及退换方面的问题，请向销售处或  
中小企业共同服务中心咨询。

※ A/S 及退换咨询: 080-581-2917  
(参照产品保证书页面)

## 产品保证书

(株)ATNS集团有限公司根据消费者受害补偿规定实施如下产品保证。

- \* **clair** 产品的质量保证期限被规定为从购买之日起至1年。
- \* 在从申请之日起至7天内进行补偿与否及受理明细通报，并在从申请之日起至14天内解决受害补偿及修理相关问题。(休息日及国家公休日除外)
- \* 在下列情况下，即使在保修期内也会归入有偿修理对象。
  - 因未使用正品配件而引发故障时
  - 因用户的疏忽、擅自修理或改装而引发故障时
  - 因不履行使用说明书上明示的事项而引发故障时
- \* 超过保修期后可进行有偿修理。
- \* 申请修理时，请出示保证书。

## 顾客服务中心 080-581-2917

**clair**的顾客服务由国家运营的中小企业共同A/S中心直接管理。

顾客填写事项	
姓名	
住址	
电话号码	
手机号码	
邮箱	
产品名称	<b>clair</b> 空气净化器
型号	<b>clair-BF2025</b>
购买日期	年 月 日
保修期限	从产品购买之日起至1年
制造日期	单独标记
制造商	(株)ATNS集团
网站主页	<a href="http://www.cleanair-clair.com">www.cleanair-clair.com</a>

※ 该保证书不再重新发行，请与使用说明书一起妥善保管。

Visible cleanliness, Simple design, Convenient usability, Reasonable price, Air Purifier



Customer service center

**080-581-2917**

**clair**  
ATNS GROUP, INC.

**Inquiry and consulting**

**clair** No.103, 10, Nambusunhwan-ro 333-gil,  
Secho-dong, Seocho-gu, Seoul

**TEL** +82.2.581.2918 **FAX** +82.2.581.2919

[www.cleanair-clair.com](http://www.cleanair-clair.com)